

Compilation of Avalon News Release Intercepts to Jan 14th, 2010

hole_id	Comments	From (m)	To (m)	Width (m)	TREO (%)	HREO (%)	HREO/TREO% (%)	Nb2O5 (ppm)	Ta2O5 (ppm)	Ga (ppm)	HfO2 (ppm)	ZrO2 (ppm)	ThO2 (ppm)
L09-151		59.00	64.50	5.50	2.04	0.12	6%	2,783	148	155	293	18,349	157
L09-151		120.25	125.40	5.15	2.36	0.43	18%	4,641	411	140	869	50,155	144
L09-151	Basal Zone	159.00	165.00	6.00	2.13	0.57	27%	5,180	628	117	932	45,349	125
L09-152		27.00	32.00	5.00	2.07	0.12	6%	2,397	149	152	320	18,887	114
L09-152		43.00	54.00	11.00	2.07	0.18	9%	3,935	237	161	469	27,474	210
L09-152	Basal Zone	139.00	150.60	11.60	2.96	0.81	27%	5,652	644	105	968	47,759	400
L09-152	including	141.40	143.70	2.30	4.41	1.27	29%	8,715	891	108	1,427	67,550	480
L09-153		100.00	105.60	5.60	1.73	0.33	19%	3,817	342	106	578	31,358	133
L09-153		128.00	159.70	31.70	1.96	0.34	17%	4,868	455	110	674	33,305	228
L09-153	including	128.00	134.00	6.00	2.56	0.21	8%	3,992	290	128	272	13,528	580
L09-153	and Basal Zone	141.75	159.70	17.95	2.06	0.45	22%	5,863	569	104	883	43,297	145
L09-154	Basal Zone	152.00	172.00	20.00	1.88	0.39	20%	4,709	547	107	652	30,844	212
L09-155		151.50	159.00	7.50	1.64	0.12	8%	1,823	177	139	87	3,800	416
L09-155	Basal Zone	173.00	191.30	18.30	2.57	0.76	29%	5,956	710	100	1,031	46,717	70
L09-155	including	183.00	189.00	6.00	3.35	1.00	30%	7,575	961	93	1,338	59,624	73
L09-156	Drilled 450 meters to south - did not reach zone												
L09-157		93.65	108.00	14.35	2.27	0.31	14%	4,080	347	133	696	35,705	323
L09-157	Basal Zone	146.00	170.00	24.00	2.16	0.62	29%	4,814	562	96	843	38,594	75
L09-158		133.55	148.00	14.45	1.76	0.31	18%	3,556	323	113	629	30,824	110
L09-158		152.00	160.00	8.00	1.58	0.38	24%	3,731	364	103	634	29,925	71
L09-158	Basal Zone	174.00	186.00	12.00	1.83	0.51	28%	4,410	541	96	807	34,676	88
L09-159	Basal Zone	154.00	176.00	22.00	1.77	0.53	30%	4,186	461	89	721	33,259	90
L09-160	Basal Zone	143.95	149.25	5.30	2.12	0.80	38%	2,851	273	110	444	22,850	347
L09-160	Basal Zone	160.00	176.00	16.00	2.24	0.64	28%	5,407	600	102	910	41,628	101
L09-160	including	170.00	172.00	2.00	4.01	1.19	30%	9,459	1,088	96	1,580	67,550	67
L09-161		122.50	151.00	28.50	2.17	0.40	18%	4,519	415	119	698	34,394	145
L09-162	No significant Basal Zone values >1.60% TREO												
L09-163	Basal Zone	115.40	166.20	50.80	1.82	0.41	23%	3,709	364	103	557	27,969	152
L09-164		79.00	83.35	4.35	3.61	0.27	7%	6,799	313	164	710	43,719	180
L09-164		89.00	109.00	20.00	1.87	0.29	16%	3,984	288	121	539	32,610	133
L09-164	Basal Zone	97.00	143.25	46.25	2.05	0.45	22%	4,758	437	107	730	38,168	102
L09-165		33.40	43.00	9.60	1.79	0.18	10%	2,671	182	119	455	25,638	156
L09-165		67.00	71.00	4.00	2.11	0.30	14%	3,248	277	95	605	13,510	222
L09-165	Basal Zone	115.00	149.00	34.00	1.78	0.44	25%	4,174	445	120	713	31,454	73
L09-166		39.00	50.00	11.00	1.91	0.23	12%	3,411	236	145	550	28,052	127
L09-166		63.00	67.85	4.85	1.98	0.42	21%	4,067	307	110	595	13,510	70
L09-166	Basal Zone	102.00	139.80	37.80	1.75	0.30	17%	3,741	367	105	662	31,643	143
L09-166	including	102.00	120.40	18.40	1.97	0.28	14%	3,742	334	112	684	34,425	206
L09-166	and	126.00	138.00	12.00	1.89	0.42	22%	4,577	490	101	787	35,799	95

Notes:

- 1) results shown above may vary slightly from original news release due to minor changes/additions to analyses.
- 2) reporting of intercepts revised starting at hole L09-137 based on cutoff of 1.60% TREO over a minimum 5.0 meter width

Compilation of Avalon News Release Intercepts to Jan 14th, 2010

hole_id	Comments	From (m)	To (m)	Width (m)	TREO (%)	HREO (%)	HREO/TREO% (%)	Nb2O5 (ppm)	Ta2O5 (ppm)	Ga (ppm)	HfO2 (ppm)	ZrO2 (ppm)	ThO2 (ppm)
L09-167		47.60	57.00	9.40	1.61	0.15	9%	3,040	204	123	454	18,028	167
L09-167		69.65	79.00	9.35	1.85	0.26	14%	3,635	264	111	558	16,060	193
L09-167	Basal Zone	99.75	130.00	30.25	1.96	0.40	20%	3,949	352	121	610	34,540	167
L09-168		82.00	94.70	12.70	2.04	0.31	15%	4,038	311	152	616	23,364	147
L09-168		101.45	108.75	7.30	2.48	0.24	10%	5,025	365	161	751	41,154	170
L09-168	Basal Zone	125.00	131.00	6.00	1.50	0.28	18%	4,303	449	111	704	30,893	134
L09-168	Basal Zone	135.00	149.00	14.00	2.02	0.50	25%	4,998	555	133	840	37,751	125
L09-168	Basal Zone	153.00	157.00	4.00	1.64	0.40	24%	4,901	458	117	710	31,276	110
L09-169		70.00	86.40	16.40	1.95	0.34	18%	3,707	273	130	576	13,510	116
L09-169		95.10	98.05	2.95	2.16	0.32	15%	4,781	436	126	746	31,261	176
L09-169		120.00	128.50	8.50	1.88	0.31	16%	4,388	413	125	693	35,285	123
L09-169	Basal Zone	132.80	157.00	24.20	1.50	0.42	28%	4,144	469	97	669	30,822	65
L09-170	Basal Zone	153.00	169.00	16.00	1.63	0.49	30%	4,213	448	105	671	30,752	62
L09-171		125.00	129.08	4.08	2.15	0.39	18%	4,534	311	131	592	35,321	253
L09-171	Basal Zone	149.00	165.00	16.00	2.01	0.58	29%	5,257	566	93	784	36,823	62
L09-171	including	153.00	157.00	4.00	2.79	0.82	29%	7,126	747	90	1,051	50,055	49
L09-172		94.40	108.00	13.60	2.98	0.32	11%	6,132	404	146	815	46,319	263
L09-172	Basal Zone	156.00	174.50	18.50	2.74	0.72	26%	7,021	756	103	1,030	52,346	99
L09-172	including	164.00	174.50	10.50	2.97	0.75	25%	7,766	869	106	1,160	58,209	104
L09-173	Basal Zone	168.00	176.00	8.00	1.96	0.59	30%	5,177	568	100	776	39,415	58
L09-174		135.00	142.80	7.80	1.67	0.20	12%	2,830	192	133	350	11,387	217
L09-175	Basal Zone	173.00	187.00	14.00	1.69	0.49	29%	4,173	446	109	700	33,312	81
L09-175	Basal Zone	197.00	207.00	10.00	1.45	0.34	23%	3,884	440	106	706	31,776	102
L09-176		134.00	140.20	6.20	1.93	0.20	10%	4,003	315	116	580	13,510	179
L09-176	Basal Zone	168.70	186.75	18.05	1.85	0.55	30%	4,563	507	93	780	35,245	61
L09-177	Basal Zone	169.00	188.95	19.95	2.11	0.60	28%	4,952	576	92	876	38,638	100
L09-177	including	173.00	183.00	10.00	2.63	0.76	29%	6,050	689	94	1,046	46,177	131
L09-178		6.84	26.90	20.06	2.89	0.24	8%	3,597	217	162	600	32,074	361
L09-178	including	14.00	24.00	10.00	3.60	0.27	8%	4,161	239	161	742	37,882	454
L09-178		35.00	43.00	8.00	1.94	0.35	18%	4,289	244	115	493	13,510	55
L09-178	Basal Zone	102.00	139.20	37.20	1.97	0.42	21%	4,570	452	115	711	38,148	81
L09-179		7.00	24.60	17.60	2.75	0.23	8%	3,855	230	134	574	36,334	239
L09-179		87.00	113.00	26.00	1.81	0.29	16%	4,446	418	97	672	34,103	150
L09-179	Basal Zone	120.75	125.00	4.25	1.66	0.27	16%	4,403	388	164	670	32,773	172
L09-180		7.00	30.00	23.00	2.56	0.22	9%	3,597	221	132	546	31,948	296
L09-180		36.00	43.95	7.95	1.55	0.17	11%	2,909	216	124	418	13,510	63
L09-180		63.00	73.00	10.00	1.93	0.17	9%	2,663	167	122	432	25,407	240
L09-180	Basal Zone	100.00	127.00	27.00	1.83	0.34	19%	4,379	422	120	678	34,948	119
L09-181		12.00	50.10	38.10	2.29	0.21	9%	3,196	211	160	498	29,116	294

Notes:

- 1) results shown above may vary slightly from original news release due to minor changes/additions to analyses.
- 2) reporting of intercepts revised starting at hole L09-137 based on cutoff of 1.60% TREO over a minimum 5.0 meter width

Compilation of Avalon News Release Intercepts to Jan 14th, 2010

hole_id	Comments	From (m)	To (m)	Width (m)	TREO (%)	HREO (%)	HREO/TREO% (%)	Nb2O5 (ppm)	Ta2O5 (ppm)	Ga (ppm)	HfO2 (ppm)	ZrO2 (ppm)	ThO2 (ppm)
L09-181		62.00	70.00	8.00	1.86	0.15	8%	3,230	239	131	558	13,510	161
L09-181		126.50	134.00	7.50	1.78	0.30	17%	4,263	354	120	575	32,615	89
L09-181	Basal Zone	146.00	166.00	20.00	1.70	0.47	28%	4,171	506	97	701	34,529	63
L09-182		9.00	11.00	2.00	1.56	0.16	10%	2,254	167	119	410	13,510	156
L09-182		26.35	50.00	23.65	2.43	0.22	9%	3,402	228	152	571	33,671	413
L09-182	Basal Zone	120.50	149.00	28.50	1.55	0.37	24%	3,865	418	89	622	31,403	92
L09-183		2.30	10.00	7.70	1.52	0.19	12%	2,247	134	136	280	12,655	145
L09-183		32.00	46.00	14.00	1.56	0.16	10%	1,651	113	187	211	11,732	187
L09-184		6.00	12.00	6.00	1.54	0.23	15%	3,349	242	124	444	13,510	138
L09-184		31.00	43.00	12.00	1.76	0.14	8%	3,543	190	181	327	12,988	153
L09-184		108.00	118.90	10.90	1.91	0.20	11%	4,150	335	179	654	34,229	380
L09-185		2.20	17.10	14.90	2.03	0.22	11%	4,009	187	153	424	16,861	246
L09-185		46.00	50.00	4.00	1.86	0.21	11%	4,114	313	138	607	13,510	89
L09-185		105.00	119.00	14.00	1.42	0.19	14%	2,843	249	108	442	13,193	152
L09-185	Basal Zone	129.10	146.30	17.20	2.17	0.41	19%	4,732	524	110	841	40,253	198
L09-186		2.30	10.00	7.70	1.80	0.19	11%	3,291	203	141	443	20,212	197
L09-186		39.00	44.00	5.00	2.25	0.38	17%	4,196	339	128	605	36,126	205
L09-186	Basal Zone	61.00	112.00	51.00	1.42	0.21	15%	3,215	247	134	471	25,067	140
L09-186	including	84.00	104.00	20.00	1.54	0.31	20%	3,439	272	136	508	27,966	110
L09-187		4.00	12.00	8.00	1.21	0.16	13%	2,519	168	119	293	11,379	130
L09-188		21.00	40.90	19.90	1.91	0.30	16%	3,302	185	150	420	17,759	125
L09-188		97.25	108.85	11.60	1.60	0.22	13%	3,504	273	136	379	14,041	211
L09-188	Basal Zone	118.00	138.90	20.90	2.00	0.30	15%	5,263	502	115	840	44,032	183
L09-189		34.00	48.00	14.00	1.53	0.17	11%	2,990	154	154	325	13,510	108
L09-189		60.00	64.90	4.90	1.57	0.18	11%	3,474	246	128	416	13,510	133
L09-189		114.25	117.40	3.15	3.02	0.48	16%	5,113	446	125	893	49,161	546
L09-189	Basal Zone	124.00	136.00	12.00	2.20	0.26	12%	5,402	481	185	796	42,331	283
L09-190		41.45	173.00	131.55	1.38	0.27	19%	2,866	254	86	404	20,138	114
L09-190		41.45	56.90	15.45	1.91	0.20	10%	2,857	186	131	418	20,774	262
L09-190		111.00	117.25	6.25	3.22	0.54	17%	6,375	476	138	891	48,316	173
L09-190		119.25	131.00	11.75	2.36	0.48	21%	4,801	442	115	758	38,105	112
L09-190	Basal Zone	135.00	173.00	38.00	1.85	0.51	28%	4,558	460	103	703	35,263	75
L09-191		18.00	129.00	111.00	1.49	0.23	15%	3,085	248	125	454	22,703	110
L09-191		18.00	22.00	4.00	1.55	0.20	13%	2,365	181	119	357	13,510	174
L09-191		42.00	55.70	13.70	1.65	0.23	14%	2,791	183	134	404	21,165	112
L09-191	Basal Zone	87.00	118.80	31.80	2.67	0.47	18%	5,495	452	142	857	44,630	155
L09-192		108.00	116.00	8.00	2.00	0.20	10%	4,493	302	148	613	35,835	186
L09-192	Basal Zone	132.00	136.00	4.00	1.88	0.50	27%	4,450	461	113	706	33,910	74
L09-193		31.45	33.00	1.55	7.68	0.54	7%	3,349	108	201	444	27,696	541

Notes:

- 1) results shown above may vary slightly from original news release due to minor changes/additions to analyses.
- 2) reporting of intercepts revised starting at hole L09-137 based on cutoff of 1.60% TREO over a minimum 5.0 meter width

Compilation of Avalon News Release Intercepts to Jan 14th, 2010

hole_id	Comments	From (m)	To (m)	Width (m)	TREO (%)	HREO (%)	HREO/TREO% (%)	Nb2O5 (ppm)	Ta2O5 (ppm)	Ga (ppm)	HfO2 (ppm)	ZrO2 (ppm)	ThO2 (ppm)
L09-193		109.85	120.00	10.15	1.74	0.18	10%	3,969	306	129	636	33,621	204
L09-194		35.35	39.00	3.65	3.18	0.26	8%	3,808	237	174	754	45,965	393
L09-194		43.00	51.00	8.00	2.10	0.24	11%	3,009	195	143	503	24,217	236
L09-194		57.00	66.00	9.00	1.69	0.25	15%	3,857	259	123	492	12,475	110
L09-194	Basal Zone	109.00	134.00	25.00	2.31	0.50	21%	5,209	518	129	831	43,297	220
L09-195		30.00	55.50	25.50	1.92	0.26	14%	3,329	226	136	497	24,625	150
L09-195	Basal Zone	109.00	127.50	18.50	3.06	0.56	18%	5,790	576	141	1,053	53,240	251
L09-196	Basal Zone	186.85	213.35	26.50	2.08	0.57	27%	4,797	527	99	794	38,857	66
L09-196	including	186.85	203.60	16.75	2.46	0.70	28%	5,441	584	99	888	44,058	55
L09-197	Basal Zone	191.00	206.50	15.50	2.24	0.66	30%	5,453	584	107	877	42,317	85
L09-197	including	236.00	240.00	4.00	1.97	0.55	28%	4,966	626	107	847	13,510	89
L09-198	Basal Zone	153.85	189.60	35.75	1.88	0.49	26%	4,722	475	118	750	36,836	95
L09-198		166.00	189.60	23.60	2.13	0.57	27%	5,452	566	117	883	42,563	118
L09-199		36.20	60.00	23.80	2.04	0.27	13%	4,059	247	161	566	36,532	190
L09-199		66.50	81.00	14.50	1.71	0.15	9%	3,086	250	187	490	22,961	255
L09-199		87.00	102.40	15.40	1.81	0.20	11%	3,453	286	163	495	24,278	270
L09-200	Basal Zone	98.00	124.00	26.00	2.15	0.29	14%	4,984	474	137	788	41,637	153
L09-200	including	102.00	108.00	6.00	3.28	0.31	9%	5,490	497	161	834	44,313	173
L09-200	and	116.00	120.00	4.00	2.80	0.57	20%	6,504	573	147	950	53,567	257
L09-201		111.00	121.00	10.00	2.31	0.23	10%	3,573	268	137	477	25,938	473
L09-201	Basal Zone	137.00	171.00	34.00	1.71	0.43	25%	4,239	432	106	628	31,482	64
L09-201	including	165.00	171.00	6.00	2.18	0.64	29%	5,548	635	93	849	40,395	50
L09-202		100.00	115.40	15.40	1.85	0.28	15%	3,934	296	124	555	20,669	118
L09-202		112.00	115.40	3.40	2.65	0.59	22%	5,987	485	126	812	45,934	60
L09-202	Basal Zone	152.00	170.00	18.00	2.27	0.72	32%	5,319	621	91	875	41,521	68
L09-203		69.00	73.00	4.00	1.87	0.25	13%	4,465	315	128	690	13,510	166
L09-203		98.00	101.00	3.00	3.13	0.73	23%	6,198	460	137	871	51,581	288
L09-203	Basal Zone	163.10	183.00	19.90	1.94	0.58	30%	4,489	523	101	752	36,322	74
L09-204		175.00	196.10	21.10	2.04	0.59	29%	4,988	563	95	816	39,270	94
L09-204	Basal Zone	177.00	188.90	11.90	2.43	0.73	30%	5,859	668	89	960	46,086	111
L09-205		103.00	127.60	24.60	1.68	0.15	9%	2,674	219	139	426	15,742	147
L09-205	Basal Zone	148.00	165.80	17.80	1.64	0.20	12%	3,245	247	124	444	25,165	148
L09-206		95.00	109.10	14.10	2.62	0.21	8%	3,980	294	135	584	38,804	178
L09-206	Basal Zone	249.00	263.20	14.20	1.90	0.55	29%	4,316	509	88	739	36,802	85
L09-206	including	257.00	263.20	6.20	2.32	0.70	30%	5,033	623	87	897	44,108	99

Notes:

- 1) results shown above may vary slightly from original news release due to minor changes/additions to analyses.
- 2) reporting of intercepts revised starting at hole L09-137 based on cutoff of 1.60% TREO over a minimum 5.0 meter width

Compilation of Avalon News Release Intercepts to Jan 14th, 2010

hole_id	Comments	From (m)	To (m)	Width (m)	Y2O3 (ppm)	La2O3 (ppm)	Ce2O3 (ppm)	Pr2O3 (ppm)	Nd2O3 (ppm)	Sm2O3 (ppm)	Eu2O3 (ppm)	Gd2O3 (ppm)	Tb2O3 (ppm)	Dy2O3 (ppm)
L09-151		59.00	64.50	5.50	368	4,328	9,048	1,073	4,027	658	65	535	44	119
L09-151		120.25	125.40	5.15	2,287	3,861	8,857	1,124	4,539	962	107	821	103	478
L09-151	Basal Zone	159.00	165.00	6.00	2,940	3,116	7,014	893	3,650	884	119	921	152	775
L09-152		27.00	32.00	5.00	374	4,398	9,335	1,105	4,051	630	60	496	41	117
L09-152		43.00	54.00	11.00	691	3,906	8,822	1,108	4,306	800	80	621	55	174
L09-152	Basal Zone	139.00	150.60	11.60	4,385	4,309	9,751	1,252	5,076	1,148	145	1,124	176	943
L09-152	including	141.40	143.70	2.30	7,030	6,311	14,169	1,843	7,427	1,688	215	1,626	252	1,349
L09-153		100.00	105.60	5.60	1,701	2,870	6,467	803	3,219	695	89	672	92	400
L09-153		128.00	159.70	31.70	1,632	3,353	7,508	919	3,648	783	96	728	97	420
L09-153	including	128.00	134.00	6.00	690	5,020	11,132	1,330	5,084	967	105	799	79	240
L09-153	and Basal Zone	141.75	159.70	17.95	2,311	3,289	7,373	911	3,669	833	108	818	121	572
L09-154	Basal Zone	152.00	172.00	20.00	1,945	3,119	6,900	849	3,365	741	93	709	102	494
L09-155		151.50	159.00	7.50	292	3,173	7,055	886	3,359	684	77	562	56	166
L09-155	Basal Zone	173.00	191.30	18.30	4,114	3,698	8,223	1,088	4,138	956	130	982	165	934
L09-155	including	183.00	189.00	6.00	5,465	4,774	10,719	1,439	5,364	1,226	163	1,244	214	1,234
L09-156	Drilled 450 meters to south - did not reach zone													
L09-157		93.65	108.00	14.35	1,488	3,859	9,009	1,238	4,558	943	106	785	91	353
L09-157	Basal Zone	146.00	170.00	24.00	3,401	3,105	6,967	947	3,534	818	108	829	138	760
L09-158		133.55	148.00	14.45	1,617	2,977	6,596	889	3,298	700	84	637	85	372
L09-158		152.00	160.00	8.00	2,034	2,402	5,425	739	2,781	645	85	651	103	476
L09-158	Basal Zone	174.00	186.00	12.00	2,728	2,704	5,953	808	3,002	694	94	720	124	657
L09-159	Basal Zone	154.00	176.00	22.00	2,937	2,570	5,593	707	2,795	653	91	699	119	668
L09-160	Basal Zone	143.95	149.25	5.30	4,907	2,754	6,067	769	2,970	665	101	826	169	1,030
L09-160	Basal Zone	160.00	176.00	16.00	3,466	3,368	7,273	928	3,655	843	114	862	142	797
L09-160	including	170.00	172.00	2.00	6,408	5,759	12,822	1,650	6,483	1,514	205	1,551	267	1,538
L09-161		122.50	151.00	28.50	2,039	3,696	8,040	1,029	4,054	854	103	767	102	474
L09-162	No significant Basal Zone values >1.60% TREO													
L09-163	Basal Zone	115.40	166.20	50.80	2,176	2,833	6,492	831	3,230	732	92	683	100	504
L09-164		79.00	83.35	4.35	898	7,128	15,993	1,928	7,058	1,282	132	1,015	97	315
L09-164		89.00	109.00	20.00	1,451	3,079	7,400	941	3,638	766	88	656	78	323
L09-164	Basal Zone	97.00	143.25	46.25	2,368	3,156	7,386	942	3,658	806	101	753	108	531
L09-165		33.40	43.00	9.60	802	3,168	7,526	975	3,732	705	65	499	51	191
L09-165		67.00	71.00	4.00	1,556	3,501	8,279	1,065	4,273	970	90	637	81	355
L09-165	Basal Zone	115.00	149.00	34.00	2,405	2,759	6,065	789	3,061	682	89	648	97	512
L09-166		39.00	50.00	11.00	1,127	3,283	7,712	1,014	3,998	759	74	549	61	265
L09-166		63.00	67.85	4.85	2,356	3,103	7,268	912	3,596	779	93	709	103	478
L09-166	Basal Zone	102.00	139.80	37.80	1,481	2,909	6,564	867	3,410	724	86	619	81	371
L09-166	including	102.00	120.40	18.40	1,296	3,373	7,707	1,022	4,012	825	93	662	79	331
L09-166	and	126.00	138.00	12.00	2,210	2,972	6,595	869	3,430	760	96	703	104	525

Notes:

- 1) results shown above may vary slightly from original news release due to minor changes/additions to analyses.
- 2) reporting of intercepts revised starting at hole L09-137 based on cutoff of 1.60% TREO over a minimum 5.0 meter width

Compilation of Avalon News Release Intercepts to Jan 14th, 2010

hole_id	Comments	From (m)	To (m)	Width (m)	Y2O3 (ppm)	La2O3 (ppm)	Ce2O3 (ppm)	Pr2O3 (ppm)	Nd2O3 (ppm)	Sm2O3 (ppm)	Eu2O3 (ppm)	Gd2O3 (ppm)	Tb2O3 (ppm)	Dy2O3 (ppm)
L09-167		47.60	57.00	9.40	566	2,888	6,745	873	3,394	683	73	535	54	159
L09-167		69.65	79.00	9.35	1,288	3,163	7,303	934	3,688	771	86	637	76	293
L09-167	Basal Zone	99.75	130.00	30.25	2,053	3,097	7,194	948	3,593	812	103	749	107	474
L09-168		82.00	94.70	12.70	1,531	3,457	7,930	1,042	4,028	856	97	700	82	342
L09-168		101.45	108.75	7.30	949	4,688	10,257	1,337	5,084	1,062	115	801	72	238
L09-168	Basal Zone	125.00	131.00	6.00	1,340	2,454	5,554	733	2,880	651	81	593	81	360
L09-168	Basal Zone	135.00	149.00	14.00	2,660	3,080	6,870	904	3,488	797	105	760	114	604
L09-168	Basal Zone	153.00	157.00	4.00	2,160	2,551	5,574	741	2,868	648	83	611	91	474
L09-169		70.00	86.40	16.40	1,869	3,188	7,493	917	3,672	796	89	663	83	359
L09-169		95.10	98.05	2.95	1,568	3,626	8,442	1,111	4,288	916	105	756	93	391
L09-169		120.00	128.50	8.50	1,450	3,199	7,183	945	3,621	786	97	699	92	404
L09-169	Basal Zone	132.80	157.00	24.20	2,267	2,215	4,920	640	2,488	588	82	611	101	543
L09-170	Basal Zone	153.00	169.00	16.00	2,781	2,320	5,183	654	2,587	608	81	603	101	594
L09-171		125.00	129.08	4.08	2,059	3,645	8,053	1,029	4,046	841	106	802	101	463
L09-171	Basal Zone	149.00	165.00	16.00	3,164	2,942	6,419	826	3,316	770	104	777	130	738
L09-171	including	153.00	157.00	4.00	4,480	3,976	8,941	1,147	4,559	1,077	145	1,090	181	1,044
L09-172		94.40	108.00	13.60	1,420	5,236	12,061	1,613	6,360	1,260	127	966	97	349
L09-172	Basal Zone	156.00	174.50	18.50	3,813	4,109	9,199	1,186	4,659	1,074	138	1,042	167	893
L09-172	including	164.00	174.50	10.50	3,931	4,547	10,129	1,300	5,064	1,160	148	1,113	176	948
L09-173	Basal Zone	168.00	176.00	8.00	3,176	2,795	6,241	801	3,151	737	99	755	128	731
L09-174		135.00	142.80	7.80	979	2,978	6,801	883	3,398	638	70	504	60	237
L09-175	Basal Zone	173.00	187.00	14.00	2,636	2,504	5,387	708	2,736	626	90	667	108	608
L09-175	Basal Zone	197.00	207.00	10.00	1,680	2,327	5,038	659	2,495	566	82	606	97	483
L09-176		134.00	140.20	6.20	798	3,408	8,051	1,013	4,003	811	90	663	69	228
L09-176	Basal Zone	168.70	186.75	18.05	3,001	2,643	5,820	793	3,041	703	95	712	127	684
L09-177	Basal Zone	169.00	188.95	19.95	3,211	3,081	6,755	926	3,546	812	107	808	145	763
L09-177	including	173.00	183.00	10.00	4,084	3,810	8,412	1,153	4,398	997	130	988	177	944
L09-178		6.84	26.90	20.06	823	5,546	12,266	1,639	5,969	1,090	117	877	88	252
L09-178	including	14.00	24.00	10.00	906	7,108	15,453	2,028	7,327	1,323	142	1,073	104	288
L09-178		35.00	43.00	8.00	1,981	3,006	7,319	873	3,941	731	88	632	79	388
L09-178	Basal Zone	102.00	139.20	37.20	2,126	3,105	6,939	930	3,659	831	104	778	106	521
L09-179		7.00	24.60	17.60	841	5,156	11,618	1,540	5,846	1,079	109	825	74	236
L09-179		87.00	113.00	26.00	1,372	3,064	6,838	897	3,566	795	94	701	87	346
L09-179	Basal Zone	120.75	125.00	4.25	1,400	2,944	6,354	811	3,164	635	67	522	64	294
L09-180		7.00	30.00	23.00	836	4,746	10,812	1,402	5,400	1,026	103	786	77	244
L09-180		36.00	43.95	7.95	719	2,824	6,466	816	3,141	640	68	487	50	190
L09-180		63.00	73.00	10.00	633	3,490	8,026	1,064	4,186	846	84	623	62	197
L09-180	Basal Zone	100.00	127.00	27.00	1,648	2,967	6,691	912	3,520	791	101	731	110	437
L09-181		12.00	50.10	38.10	790	4,172	9,688	1,254	4,749	909	97	726	73	228

Notes:

- 1) results shown above may vary slightly from original news release due to minor changes/additions to analyses.
- 2) reporting of intercepts revised starting at hole L09-137 based on cutoff of 1.60% TREO over a minimum 5.0 meter width

Compilation of Avalon News Release Intercepts to Jan 14th, 2010

hole_id	Comments	From (m)	To (m)	Width (m)	Y2O3 (ppm)	La2O3 (ppm)	Ce2O3 (ppm)	Pr2O3 (ppm)	Nd2O3 (ppm)	Sm2O3 (ppm)	Eu2O3 (ppm)	Gd2O3 (ppm)	Tb2O3 (ppm)	Dy2O3 (ppm)
L09-181		62.00	70.00	8.00	621	3,449	7,942	985	3,956	775	63	503	51	154
L09-181		126.50	134.00	7.50	1,492	2,926	6,772	885	3,419	770	90	675	90	382
L09-181	Basal Zone	146.00	166.00	20.00	2,576	2,547	5,549	720	2,818	637	84	636	108	588
L09-182		9.00	11.00	2.00	661	2,581	6,277	868	3,556	699	63	503	54	186
L09-182		26.35	50.00	23.65	823	4,655	10,150	1,303	5,051	958	102	762	78	250
L09-182	Basal Zone	120.50	149.00	28.50	1,977	2,490	5,227	680	2,702	610	79	598	97	487
L09-183		2.30	10.00	7.70	859	2,742	6,150	772	3,064	636	67	505	57	204
L09-183		32.00	46.00	14.00	667	3,043	6,511	849	3,090	575	61	467	50	181
L09-184		6.00	12.00	6.00	1,155	2,706	6,175	757	2,845	616	77	560	65	233
L09-184		31.00	43.00	12.00	491	3,525	7,736	933	3,414	602	66	500	46	135
L09-184		108.00	118.90	10.90	841	3,680	7,946	989	3,777	718	80	587	66	246
L09-185		2.20	17.10	14.90	995	3,681	8,406	1,059	4,130	809	87	637	69	240
L09-185		46.00	50.00	4.00	984	3,355	7,600	945	3,778	786	80	593	68	226
L09-185		105.00	119.00	14.00	920	2,499	5,783	714	2,684	575	63	462	57	231
L09-185	Basal Zone	129.10	146.30	17.20	2,096	3,582	8,046	1,023	4,035	891	112	811	109	501
L09-186		2.30	10.00	7.70	796	3,219	7,498	954	3,621	734	84	629	65	193
L09-186		39.00	44.00	5.00	2,026	3,840	8,785	1,065	4,146	907	106	789	101	421
L09-186	Basal Zone	61.00	112.00	51.00	1,004	2,539	5,650	712	2,654	559	65	497	59	233
L09-186	including	84.00	104.00	20.00	1,607	2,528	5,736	738	2,744	613	75	581	79	349
L09-187		4.00	12.00	8.00	755	2,150	4,921	619	2,320	485	57	387	50	176
L09-188		21.00	40.90	19.90	1,680	3,169	7,508	955	3,712	733	81	608	75	313
L09-188		97.25	108.85	11.60	992	2,890	6,513	809	2,988	617	73	549	67	258
L09-188	Basal Zone	118.00	138.90	20.90	1,301	3,442	7,857	978	3,858	866	105	771	89	354
L09-189		34.00	48.00	14.00	829	2,761	6,268	813	3,163	592	63	476	50	181
L09-189		60.00	64.90	4.90	702	2,741	6,275	810	3,420	711	77	570	64	221
L09-189		114.25	117.40	3.15	2,378	4,920	11,847	1,462	5,997	1,194	143	1,033	134	606
L09-189	Basal Zone	124.00	136.00	12.00	1,085	3,900	9,060	1,098	4,446	922	107	776	80	284
L09-190		41.45	173.00	131.55	1,351	2,299	5,099	651	2,567	551	67	502	71	318
L09-190		41.45	56.90	15.45	784	3,614	7,791	991	3,907	775	86	646	71	232
L09-190		111.00	117.25	6.25	2,806	5,333	12,262	1,586	6,295	1,304	146	1,088	139	576
L09-190		119.25	131.00	11.75	2,516	3,707	8,487	1,097	4,451	996	124	917	131	560
L09-190	Basal Zone	135.00	173.00	38.00	2,750	2,726	6,071	788	3,105	715	96	715	119	622
L09-191		18.00	129.00	111.00	1,170	2,615	5,744	756	2,862	583	66	497	61	251
L09-191		18.00	22.00	4.00	976	2,645	6,113	808	3,218	666	68	530	63	221
L09-191		42.00	55.70	13.70	1,148	2,867	6,475	866	3,315	666	72	539	62	235
L09-191	Basal Zone	87.00	118.80	31.80	2,455	4,547	10,016	1,336	5,090	1,074	125	937	120	517
L09-192		108.00	116.00	8.00	802	3,692	8,200	1,133	4,084	856	93	672	62	187
L09-192	Basal Zone	132.00	136.00	4.00	2,766	2,886	6,189	847	3,102	727	95	711	113	612
L09-193		31.45	33.00	1.55	1,827	20,879	33,374	3,732	11,438	1,960	243	2,052	218	757

Notes:

- 1) results shown above may vary slightly from original news release due to minor changes/additions to analyses.
- 2) reporting of intercepts revised starting at hole L09-137 based on cutoff of 1.60% TREO over a minimum 5.0 meter width

Compilation of Avalon News Release Intercepts to Jan 14th, 2010

hole_id	Comments	From (m)	To (m)	Width (m)	Y2O3 (ppm)	La2O3 (ppm)	Ce2O3 (ppm)	Pr2O3 (ppm)	Nd2O3 (ppm)	Sm2O3 (ppm)	Eu2O3 (ppm)	Gd2O3 (ppm)	Tb2O3 (ppm)	Dy2O3 (ppm)
L09-193		109.85	120.00	10.15	679	3,243	7,139	982	3,522	745	83	608	63	209
L09-194		35.35	39.00	3.65	940	5,468	13,719	1,767	6,966	1,301	133	925	80	250
L09-194		43.00	51.00	8.00	1,109	3,636	8,642	1,101	4,448	834	90	653	67	263
L09-194		57.00	66.00	9.00	1,263	2,902	6,523	816	3,462	653	80	594	68	302
L09-194	Basal Zone	109.00	134.00	25.00	2,667	3,667	8,338	1,044	4,150	917	119	837	112	574
L09-195		30.00	55.50	25.50	1,297	3,303	7,715	964	3,819	762	88	637	74	288
L09-195	Basal Zone	109.00	127.50	18.50	2,915	4,968	11,507	1,421	5,824	1,302	143	1,077	146	660
L09-196	Basal Zone	186.85	213.35	26.50	3,087	3,122	6,996	848	3,404	800	99	761	131	723
L09-196	including	186.85	203.60	16.75	3,860	3,615	8,126	986	3,965	931	114	879	152	863
L09-197	Basal Zone	191.00	206.50	15.50	3,653	3,247	7,282	868	3,522	842	108	829	145	827
L09-197	including	236.00	240.00	4.00	2,944	2,991	6,599	832	3,119	707	98	724	129	698
L09-198	Basal Zone	153.85	189.60	35.75	2,616	2,872	6,516	763	3,106	719	92	719	112	572
L09-198		166.00	189.60	23.60	3,025	3,221	7,286	847	3,453	806	104	819	130	679
L09-199		36.20	60.00	23.80	1,313	3,551	8,340	1,018	4,011	793	87	665	75	290
L09-199		66.50	81.00	14.50	513	3,105	7,279	934	3,586	724	80	563	53	155
L09-199		87.00	102.40	15.40	789	3,218	7,406	952	3,737	785	87	632	70	232
L09-200	Basal Zone	98.00	124.00	26.00	1,390	3,898	8,630	1,088	4,143	831	97	698	83	335
L09-200	including	102.00	108.00	6.00	1,420	6,639	14,009	1,701	6,238	1,089	118	881	89	313
L09-200	and	116.00	120.00	4.00	2,855	4,446	10,235	1,313	5,195	1,168	155	1,089	162	754
L09-201		111.00	121.00	10.00	932	4,428	9,709	1,214	4,573	903	102	719	73	249
L09-201	Basal Zone	137.00	171.00	34.00	2,286	2,609	5,849	757	2,964	664	86	639	102	530
L09-201	including	165.00	171.00	6.00	3,464	3,151	7,010	902	3,549	814	109	818	143	807
L09-202		100.00	115.40	15.40	1,366	3,216	7,268	924	3,584	730	83	628	75	314
L09-202		112.00	115.40	3.40	3,249	4,081	9,376	1,217	4,890	1,049	123	925	134	667
L09-202	Basal Zone	152.00	170.00	18.00	3,996	3,133	7,044	906	3,564	832	112	856	156	918
L09-203		69.00	73.00	4.00	1,158	3,202	7,430	935	3,819	804	97	653	84	279
L09-203		98.00	101.00	3.00	4,109	4,703	11,044	1,443	5,673	1,214	149	1,160	181	881
L09-203	Basal Zone	163.10	183.00	19.90	3,195	2,767	6,190	796	3,123	728	97	749	128	712
L09-204		175.00	196.10	21.10	3,253	2,953	6,621	853	3,341	772	98	761	128	719
L09-204	Basal Zone	177.00	188.90	11.90	4,095	3,416	7,699	994	3,894	907	115	899	154	888
L09-205		103.00	127.60	24.60	555	3,136	7,159	895	3,476	679	72	530	51	161
L09-205	Basal Zone	148.00	165.80	17.80	850	2,978	6,718	819	3,172	678	79	593	66	226
L09-206		95.00	109.10	14.10	760	5,039	11,412	1,366	5,300	1,015	102	772	73	215
L09-206	Basal Zone	249.00	263.20	14.20	3,022	2,833	6,265	750	2,913	698	94	712	125	699
L09-206	including	257.00	263.20	6.20	3,838	3,441	7,553	900	3,482	838	112	856	153	880

Notes:

- 1) results shown above may vary slightly from original news release due to minor changes/additions to analyses.
- 2) reporting of intercepts revised starting at hole L09-137 based on cutoff of 1.60% TREO over a minimum 5.0 meter width

Compilation of Avalon News Release Intercepts to Jan 14th, 2010

hole_id	Comments	From (m)	To (m)	Width (m)	Ho2O3 (ppm)	Er2O3 (ppm)	Tm2O3 (ppm)	Yb2O3 (ppm)	Lu2O3 (ppm)
L09-151		59.00	64.50	5.50	15	42	3.4	23	3.0
L09-151		120.25	125.40	5.15	81	213	24.5	148	19.1
L09-151	Basal Zone	159.00	165.00	6.00	127	325	42.3	287	41.3
L09-152		27.00	32.00	5.00	15	42	2.9	18	2.2
L09-152		43.00	54.00	11.00	25	71	7.4	50	6.7
L09-152	Basal Zone	139.00	150.60	11.60	173	493	70.7	478	65.3
L09-152	including	141.40	143.70	2.30	254	778	126.2	901	119.4
L09-153		100.00	105.60	5.60	61	146	16.0	92	11.3
L09-153		128.00	159.70	31.70	66	167	20.7	138	18.9
L09-153	including	128.00	134.00	6.00	28	64	5.1	36	4.7
L09-153	and Basal Zone	141.75	159.70	17.95	94	239	31.1	209	28.9
L09-154	Basal Zone	152.00	172.00	20.00	85	220	27.0	163	21.7
L09-155		151.50	159.00	7.50	18	36	2.6	17	2.3
L09-155	Basal Zone	173.00	191.30	18.30	192	506	71.0	402	55.1
L09-155	including	183.00	189.00	6.00	261	685	97.5	546	75.0
L09-156	Drilled 450 meters to south - did not reach zone								
L09-157		93.65	108.00	14.35	55	127	15.0	91	12.7
L09-157	Basal Zone	146.00	170.00	24.00	155	403	58.6	337	46.4
L09-158		133.55	148.00	14.45	63	145	18.2	104	14.2
L09-158		152.00	160.00	8.00	82	192	27.2	165	23.2
L09-158	Basal Zone	174.00	186.00	12.00	129	323	46.3	262	36.8
L09-159	Basal Zone	154.00	176.00	22.00	127	335	45.9	283	38.8
L09-160	Basal Zone	143.95	149.25	5.30	189	446	48.3	225	25.4
L09-160	Basal Zone	160.00	176.00	16.00	153	414	55.4	329	43.7
L09-160	including	170.00	172.00	2.00	300	812	105.7	608	79.2
L09-161		122.50	151.00	28.50	80	210	28.1	180	24.9
L09-162	No significant Basal Zone values >1.60% TREO								
L09-163	Basal Zone	115.40	166.20	50.80	91	238	30.9	177	23.4
L09-164		79.00	83.35	4.35	43	104	8.1	45	6.1
L09-164		89.00	109.00	20.00	51	137	17.0	107	14.7
L09-164	Basal Zone	97.00	143.25	46.25	93	269	34.2	214	32.4
L09-165		33.40	43.00	9.60	28	70	6.8	41	5.7
L09-165		67.00	71.00	4.00	59	154	16.3	90	10.4
L09-165	Basal Zone	115.00	149.00	34.00	95	264	37.0	223	34.1
L09-166		39.00	50.00	11.00	42	111	9.9	52	7.8
L09-166		63.00	67.85	4.85	77	188	22.8	127	16.2
L09-166	Basal Zone	102.00	139.80	37.80	59	166	19.1	116	19.3
L09-166	including	102.00	120.40	18.40	49	141	15.7	100	17.1
L09-166	and	126.00	138.00	12.00	89	256	30.6	183	30.0

Notes:

- 1) results shown above may vary slightly from original news release due to minor changes/additions to analyses.
- 2) reporting of intercepts revised starting at hole L09-137 based on cutoff of 1.60% TREO over a minimum 5.0 meter width

Compilation of Avalon News Release Intercepts to Jan 14th, 2010

hole_id	Comments	From (m)	To (m)	Width (m)	Ho2O3 (ppm)	Er2O3 (ppm)	Tm2O3 (ppm)	Yb2O3 (ppm)	Lu2O3 (ppm)
L09-167		47.60	57.00	9.40	20	51	4.8	32	4.2
L09-167		69.65	79.00	9.35	42	103	11.1	67	8.6
L09-167	Basal Zone	99.75	130.00	30.25	80	205	25.1	144	18.7
L09-168		82.00	94.70	12.70	55	138	19.9	147	22.2
L09-168		101.45	108.75	7.30	34	86	9.3	52	7.4
L09-168	Basal Zone	125.00	131.00	6.00	55	133	15.7	82	12.3
L09-168	Basal Zone	135.00	149.00	14.00	112	309	43.9	271	45.4
L09-168	Basal Zone	153.00	157.00	4.00	85	229	30.4	178	28.4
L09-169		70.00	86.40	16.40	57	144	17.0	113	15.5
L09-169		95.10	98.05	2.95	59	142	16.2	95	13.6
L09-169		120.00	128.50	8.50	61	142	16.0	82	12.0
L09-169	Basal Zone	132.80	157.00	24.20	96	247	31.4	181	26.0
L09-170	Basal Zone	153.00	169.00	16.00	115	314	44.2	272	38.0
L09-171		125.00	129.08	4.08	74	178	18.6	102	12.9
L09-171	Basal Zone	149.00	165.00	16.00	140	374	48.9	288	38.2
L09-171	including	153.00	157.00	4.00	204	541	70.2	405	54.1
L09-172		94.40	108.00	13.60	51	131	12.4	81	11.0
L09-172	Basal Zone	156.00	174.50	18.50	168	496	61.5	372	51.9
L09-172	including	164.00	174.50	10.50	179	529	64.7	388	53.9
L09-173	Basal Zone	168.00	176.00	8.00	142	426	52.7	312	43.3
L09-174		135.00	142.80	7.80	38	88	9.4	52	6.2
L09-175	Basal Zone	173.00	187.00	14.00	122	330	44.7	265	36.7
L09-175	Basal Zone	197.00	207.00	10.00	82	187	22.8	140	20.2
L09-176		134.00	140.20	6.20	29	71	6.8	40	5.1
L09-176	Basal Zone	168.70	186.75	18.05	137	372	49.5	287	39.6
L09-177	Basal Zone	169.00	188.95	19.95	149	393	51.5	299	41.2
L09-177	including	173.00	183.00	10.00	191	517	68.8	398	54.5
L09-178		6.84	26.90	20.06	33	90	7.8	57	8.5
L09-178	including	14.00	24.00	10.00	37	103	8.9	68	10.3
L09-178		35.00	43.00	8.00	57	152	17.0	125	15.4
L09-178	Basal Zone	102.00	139.20	37.20	90	238	29.7	186	24.9
L09-179		7.00	24.60	17.60	32	82	7.6	57	8.1
L09-179		87.00	113.00	26.00	53	135	14.5	87	11.5
L09-179	Basal Zone	120.75	125.00	4.25	52	149	17.5	114	16.6
L09-180		7.00	30.00	23.00	31	83	7.8	58	8.5
L09-180		36.00	43.95	7.95	25	62	6.3	39	4.8
L09-180		63.00	73.00	10.00	26	66	5.2	35	4.7
L09-180	Basal Zone	100.00	127.00	27.00	68	165	19.5	119	16.6
L09-181		12.00	50.10	38.10	30	75	8.2	54	7.4

Notes:

- 1) results shown above may vary slightly from original news release due to minor changes/additions to analyses.
- 2) reporting of intercepts revised starting at hole L09-137 based on cutoff of 1.60% TREO over a minimum 5.0 meter width

Compilation of Avalon News Release Intercepts to Jan 14th, 2010

hole_id	Comments	From (m)	To (m)	Width (m)	Ho2O3 (ppm)	Er2O3 (ppm)	Tm2O3 (ppm)	Yb2O3 (ppm)	Lu2O3 (ppm)
L09-181		62.00	70.00	8.00	22	54	6.4	39	5.5
L09-181		126.50	134.00	7.50	57	137	16.9	97	12.5
L09-181	Basal Zone	146.00	166.00	20.00	113	317	40.2	235	32.6
L09-182		9.00	11.00	2.00	24	54	5.5	42	6.5
L09-182		26.35	50.00	23.65	31	81	7.2	51	8.1
L09-182	Basal Zone	120.50	149.00	28.50	81	221	25.8	156	22.8
L09-183		2.30	10.00	7.70	29	72	8.1	47	6.2
L09-183		32.00	46.00	14.00	25	62	6.1	37	5.0
L09-184		6.00	12.00	6.00	37	99	11.7	76	11.2
L09-184		31.00	43.00	12.00	19	53	5.7	42	6.4
L09-184		108.00	118.90	10.90	34	79	8.3	59	8.7
L09-185		2.20	17.10	14.90	33	87	9.1	55	7.6
L09-185		46.00	50.00	4.00	29	84	8.8	53	7.5
L09-185		105.00	119.00	14.00	34	85	9.8	60	8.3
L09-185	Basal Zone	129.10	146.30	17.20	84	215	26.0	159	21.1
L09-186		2.30	10.00	7.70	26	70	7.6	50	6.8
L09-186		39.00	44.00	5.00	65	166	17.7	97	12.2
L09-186	Basal Zone	61.00	112.00	51.00	35	96	11.1	71	9.6
L09-186	including	84.00	104.00	20.00	56	153	18.8	119	16.1
L09-187		4.00	12.00	8.00	25	60	6.3	36	4.7
L09-188		21.00	40.90	19.90	50	128	14.7	87	11.3
L09-188		97.25	108.85	11.60	39	96	10.8	61	7.9
L09-188	Basal Zone	118.00	138.90	20.90	53	153	16.1	99	15.3
L09-189		34.00	48.00	14.00	24	65	6.9	47	6.6
L09-189		60.00	64.90	4.90	28	72	6.6	46	5.7
L09-189		114.25	117.40	3.15	91	249	20.7	96	13.1
L09-189	Basal Zone	124.00	136.00	12.00	40	121	12.1	77	13.0
L09-190		41.45	173.00	131.55	54	149	19.1	123	16.4
L09-190		41.45	56.90	15.45	30	78	6.5	43	5.3
L09-190		111.00	117.25	6.25	95	262	31.6	213	28.7
L09-190		119.25	131.00	11.75	92	246	30.2	201	27.7
L09-190	Basal Zone	135.00	173.00	38.00	116	327	45.1	285	37.8
L09-191		18.00	129.00	111.00	40	103	12.5	81	11.2
L09-191		18.00	22.00	4.00	33	81	8.0	46	5.9
L09-191		42.00	55.70	13.70	36	92	10.2	64	8.6
L09-191	Basal Zone	87.00	118.80	31.80	83	213	27.1	182	25.3
L09-192		108.00	116.00	8.00	26	73	8.6	60	8.2
L09-192	Basal Zone	132.00	136.00	4.00	113	300	39.6	244	32.8
L09-193		31.45	33.00	1.55	93	166	9.5	48	5.4

Notes:

- 1) results shown above may vary slightly from original news release due to minor changes/additions to analyses.
- 2) reporting of intercepts revised starting at hole L09-137 based on cutoff of 1.60% TREO over a minimum 5.0 meter width

Compilation of Avalon News Release Intercepts to Jan 14th, 2010

hole_id	Comments	From (m)	To (m)	Width (m)	Ho2O3 (ppm)	Er2O3 (ppm)	Tm2O3 (ppm)	Yb2O3 (ppm)	Lu2O3 (ppm)
L09-193		109.85	120.00	10.15	27	64	6.6	45	6.3
L09-194		35.35	39.00	3.65	32	101	10.6	80	12.5
L09-194		43.00	51.00	8.00	33	91	8.6	57	7.4
L09-194		57.00	66.00	9.00	39	104	10.7	65	7.5
L09-194	Basal Zone	109.00	134.00	25.00	97	287	33.5	198	28.4
L09-195		30.00	55.50	25.50	42	113	11.5	74	10.1
L09-195	Basal Zone	109.00	127.50	18.50	109	295	35.1	210	27.6
L09-196	Basal Zone	186.85	213.35	26.50	133	370	47.8	283	37.7
L09-196	including	186.85	203.60	16.75	165	470	61.4	357	46.8
L09-197	Basal Zone	191.00	206.50	15.50	156	447	58.2	339	44.2
L09-197	including	236.00	240.00	4.00	142	372	51.8	295	39.9
L09-198	Basal Zone	153.85	189.60	35.75	101	296	41.6	270	36.1
L09-198		166.00	189.60	23.60	122	363	50.7	318	41.6
L09-199		36.20	60.00	23.80	43	116	13.3	93	12.9
L09-199		66.50	81.00	14.50	20	61	6.7	47	7.1
L09-199		87.00	102.40	15.40	31	81	8.9	62	9.5
L09-200	Basal Zone	98.00	124.00	26.00	52	143	15.6	89	12.8
L09-200	including	102.00	108.00	6.00	48	135	13.0	76	10.7
L09-200	and	116.00	120.00	4.00	118	299	32.1	172	23.7
L09-201		111.00	121.00	10.00	36	98	9.9	58	8.5
L09-201	Basal Zone	137.00	171.00	34.00	97	288	33.5	200	27.3
L09-201	including	165.00	171.00	6.00	157	476	55.9	330	45.6
L09-202		100.00	115.40	15.40	49	131	14.4	93	13.5
L09-202		112.00	115.40	3.40	115	330	37.2	239	35.4
L09-202	Basal Zone	152.00	170.00	18.00	182	514	65.9	379	50.3
L09-203		69.00	73.00	4.00	39	102	10.2	60	7.8
L09-203		98.00	101.00	3.00	144	336	39.8	233	30.5
L09-203	Basal Zone	163.10	183.00	19.90	140	382	52.6	302	39.7
L09-204		175.00	196.10	21.10	142	389	53.6	316	42.5
L09-204	Basal Zone	177.00	188.90	11.90	180	500	68.6	397	52.7
L09-205		103.00	127.60	24.60	21	53	5.3	36	4.9
L09-205	Basal Zone	148.00	165.80	17.80	31	80	8.5	54	7.2
L09-206		95.00	109.10	14.10	30	88	8.3	55	7.6
L09-206	Basal Zone	249.00	263.20	14.20	131	367	48.7	270	36.3
L09-206	including	257.00	263.20	6.20	174	506	69.0	386	52.1

Notes:

- 1) results shown above may vary slightly from original news release due to minor changes/additions to analyses.
- 2) reporting of intercepts revised starting at hole L09-137 based on cutoff of 1.60% TREO over a minimum 5.0 meter width